

## SAFETY DATA SHEET

**GlideTech Additive**

Version Number 1.0  
Revision Date 12/05/2025

Page 1 of 16  
Print Date 12/06/2025

# SAFETY DATA SHEET

## GlideTech Additive

### Section 1. Identification

**GHS product identifier** : GlideTech Additive  
**Chemical name** : Mixture  
**CAS number** : Mixture  
**Other means of identification** : EM10062940  
**Product type** : solid

**Relevant identified uses of the substance or mixture and uses advised against**

**Product use** : Industrial applications. Plastics.

**Supplier's details** : **AVIENT CORPORATION**  
33587 Walker Road, Avon Lake, OH 44012  
1 (440) 930-1000 or 1 (844) 4AVIENT

**Emergency telephone number (with hours of operation)** : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

### Section 2. Hazards identification

**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Classification of the substance or mixture** : COMBUSTIBLE DUSTS

**GHS label elements**

**Signal word** : Warning  
**Hazard statements** : May form combustible dust concentrations in air.

**Precautionary statements**

**Prevention** : Not applicable.  
**Response** : Not applicable.  
**Storage** : Not applicable.  
**Disposal** : Not applicable.

**Supplemental label elements** : Keep container tightly closed. Keep away from heat, hot surfaces,

## SAFETY DATA SHEET

### GlideTech Additive

Version Number 1.0  
Revision Date 12/05/2025

Page 2 of 16  
Print Date 12/06/2025

		sparks, open flames and other ignition sources. No smoking. Prevent dust accumulation.
<b>Hazards not otherwise classified</b>	:	None known.
<b>Hazards identified when used</b>	:	No known significant effects or critical hazards.

## Section 3. Composition/information on ingredients

<b>Substance/mixture</b>	:	Substance
<b>Chemical name</b>	:	GlideTech Additive
<b>Other means of identification</b>	:	GlideTech Additive

Ingredient name	Synonyms	%	Identifiers
2-Pyrrolidinone, 1-ethenyl-, homopolymer	2-Pyrrolidinone, 1-ethenyl-, homopolymer	100	-

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

<b>Eye contact</b>	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
<b>Inhalation</b>	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Skin contact</b>	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
<b>Ingestion</b>	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.

### Most important symptoms/effects, acute and delayed

## SAFETY DATA SHEET

**GlideTech Additive**

Version Number 1.0  
Revision Date 12/05/2025

Page 3 of 16  
Print Date 12/06/2025

**Potential acute health effects**

- |                     |   |  |
|---------------------|---|--|
| <b>Eye contact</b>  | : | Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.                   |
| <b>Inhalation</b>   | : | Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. |
| <b>Skin contact</b> | : | No known significant effects or critical hazards.  |
| <b>Ingestion</b>    | : | No known significant effects or critical hazards.  |

**Over-exposure signs/symptoms**

- |                     |   |  |
|---------------------|---|--|
| <b>Eye contact</b>  | : | Adverse symptoms may include the following: irritation, redness                    |
| <b>Inhalation</b>   | : | Adverse symptoms may include the following: respiratory tract irritation, coughing |
| <b>Skin contact</b> | : | No specific data.  |
| <b>Ingestion</b>    | : | No specific data.  |

**Indication of immediate medical attention and special treatment needed, if necessary**

- |                                   |   |   |
|-----------------------------------|---|---|
| <b>Notes to physician</b>         | : | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| <b>Specific treatments</b>        | : | No specific treatment.  |
| <b>Protection of first-aiders</b> | : | No action shall be taken involving any personal risk or without suitable training.  |

See toxicological information (Section 11)

**Section 5. Fire-fighting measures****Extinguishing media**

- |   |   |   |
|---|---|---|
| <b>Suitable extinguishing media</b>                 | : | Use dry chemical powder.  |
| <b>Unsuitable extinguishing media</b>               | : | Avoid high pressure media which could cause the formation of a potentially explosive dust-air mixture.  |
| <b>Specific hazards arising from the chemical</b>   | : | May form explosive dust-air mixture if dispersed.   |
| <b>Hazardous thermal decomposition products</b>     | : | Decomposition products may include the following materials: carbon dioxide, carbon monoxide, nitrogen oxides  |
| <b>Special protective actions for fire-fighters</b> | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire |

## SAFETY DATA SHEET

### ***GlideTech Additive***

Version Number 1.0  
Revision Date 12/05/2025

Page 4 of 16  
Print Date 12/06/2025

area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing

## SAFETY DATA SHEET

**GlideTech Additive**

Version Number 1.0

Revision Date 12/05/2025

Page 5 of 16

Print Date 12/06/2025

dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Advice on general occupational hygiene**

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Conditions for safe storage, including any incompatibilities**

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

**Section 8. Exposure controls/personal protection****Control parameters****Occupational exposure limits**

Ingredient name	Exposure limits
2-Pyrrolidinone, 1-ethenyl-, homopolymer	None.

**Biological exposure indices**

No exposure indices known.

**Appropriate engineering controls**

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust

## SAFETY DATA SHEET

### GlideTech Additive

Version Number 1.0  
Revision Date 12/05/2025

Page 6 of 16  
Print Date 12/06/2025

#### Environmental exposure controls

- concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

##### Hygiene measures

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

##### Eye/face protection

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

##### Skin protection

###### Hand protection

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

###### Body protection

- : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

###### Other skin protection

- : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

###### Respiratory protection

- : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

## SAFETY DATA SHEET

**GlideTech Additive**

Version Number 1.0  
 Revision Date 12/05/2025

Page 7 of 16  
 Print Date 12/06/2025

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

**Appearance**

<b>Physical state</b>	:	solid [Powder.]
<b>Color</b>	:	WHITE
<b>Odor</b>	:	Not available.
<b>Odor threshold</b>	:	Not available.
<b>pH</b>	:	Not available.
<b>Melting point/freezing point</b>	:	Not available.
<b>Boiling point or initial boiling point and boiling range</b>	:	Not available.
<b>Flash point</b>	:	Not applicable.
<b>Evaporation rate</b>	:	Not available.
<b>Flammability</b>	:	Not available.
<b>Lower and upper explosion limit/flammability limit</b>	:	<b>Lower:</b> Not applicable. <b>Upper:</b> Not applicable.
<b>Vapor pressure</b>	:	Not available.
<b>Relative vapor density</b>	:	Not applicable.
<b>Relative density</b>	:	Not available.
<b>Solubility in water</b>	:	Not available.
<b>Partition coefficient: n-octanol/water</b>	:	Not applicable.
<b>Auto-ignition temperature</b>	:	Not applicable.
<b>Decomposition temperature</b>	:	Not available.
<b>Viscosity</b>	:	<b>Dynamic</b> : Not available. <b>Kinematic</b> : Not available.

**Particle characteristics**

<b>Median particle size</b>	:	Not available.
-----------------------------	---	----------------

**Section 10. Stability and reactivity**

<b>Reactivity</b>	:	No specific test data related to reactivity available for this product or its ingredients.
-------------------	---	--

## SAFETY DATA SHEET

### ***GlideTech Additive***

Version Number 1.0  
Revision Date 12/05/2025

Page 8 of 16  
Print Date 12/06/2025

<b>Chemical stability</b>	: Stable under recommended storage and handling conditions (see Section 7).
<b>Possibility of hazardous reactions</b>	: Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
<b>Incompatible materials</b>	: Reactive or incompatible with the following materials: oxidizing materials
<b>Hazardous decomposition products</b>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result
2-Pyrrolidinone, 1-ethenyl-, homopolymer	<b>Rat - Oral - LD50</b> 100,000 mg/kg

**Conclusion/Summary** : Mixture. Not fully tested.

#### Skin corrosion/irritation

**Conclusion/Summary** : Mixture. Not fully tested.

#### Serious eye damage/eye irritation

**Conclusion/Summary** : Mixture. Not fully tested.

#### Respiratory corrosion/irritation

## SAFETY DATA SHEET

***GlideTech Additive***

Version Number 1.0  
 Revision Date 12/05/2025

Page 9 of 16  
 Print Date 12/06/2025

**Conclusion/Summary** : Mixture. Not fully tested.

**Respiratory or skin sensitization****Skin**

**Conclusion/Summary** : Mixture. Not fully tested.

**Respiratory**

**Conclusion/Summary** : Mixture. Not fully tested.

**Germ cell mutagenicity**

**Conclusion/Summary** : Mixture. Not fully tested.

**Carcinogenicity**

**Conclusion/Summary** : Mixture. Not fully tested.

**Classification**

Product/ingredient name	OSHA	IARC	NTP
2-Pyrrolidinone, 1-ethenyl-, homopolymer	-	3	-

**Reproductive toxicity**

**Conclusion/Summary** : Mixture. Not fully tested.

**Specific target organ toxicity (single exposure)**

Not available.

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

## SAFETY DATA SHEET

### **GlideTech Additive**

Version Number 1.0  
Revision Date 12/05/2025

Page 10 of 16  
Print Date 12/06/2025

#### Information on the likely routes of exposure

Not available.

#### Potential acute health effects

- |                     |   |  |
|---------------------|---|--|
| <b>Eye contact</b>  | : | Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.                   |
| <b>Inhalation</b>   | : | Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. |
| <b>Skin contact</b> | : | No known significant effects or critical hazards.  |
| <b>Ingestion</b>    | : | No known significant effects or critical hazards.  |

#### Symptoms related to the physical, chemical and toxicological characteristics

- |                     |   |  |
|---------------------|---|--|
| <b>Eye contact</b>  | : | Adverse symptoms may include the following: irritation, redness                    |
| <b>Inhalation</b>   | : | Adverse symptoms may include the following: respiratory tract irritation, coughing |
| <b>Skin contact</b> | : | No specific data.  |
| <b>Ingestion</b>    | : | No specific data.  |

#### Delayed and immediate effects and also chronic effects from short and long term exposure

##### **Short term exposure**

- |                                    |   |                |
|------------------------------------|---|----------------|
| <b>Potential immediate effects</b> | : | Not available. |
| <b>Potential delayed effects</b>   | : | Not available. |

##### **Long term exposure**

- |                                    |   |                |
|------------------------------------|---|----------------|
| <b>Potential immediate effects</b> | : | Not available. |
| <b>Potential delayed effects</b>   | : | Not available. |

#### Potential chronic health effects

Not available.

- |                              |   |  |
|------------------------------|---|--|
| <b>Conclusion/Summary</b>    | : | Mixture. Not fully tested.   |
| <b>General</b>               | : | Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. |
| <b>Carcinogenicity</b>       | : | No known significant effects or critical hazards.                                    |
| <b>Mutagenicity</b>          | : | No known significant effects or critical hazards.                                    |
| <b>Reproductive toxicity</b> | : | No known significant effects or critical hazards.                                    |

#### Numerical measures of toxicity

## SAFETY DATA SHEET

**GlideTech Additive**

Version Number 1.0  
 Revision Date 12/05/2025

Page 11 of 16  
 Print Date 12/06/2025

**Acute toxicity estimates**

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
2-Pyrrolidinone, 1-ethenyl-, homopolymer	100000 mg/kg	N/A	N/A	N/A	N/A

**Section 12. Ecological information****Toxicity**

Not available.

Conclusion/Summary : Not available.

**Persistence and degradability**

Not available.

Conclusion/Summary : Not available.

**Bioaccumulative potential**

Not available.

**Mobility in soil**

Soil/Water partition coefficient : Not available.

**Other adverse effects**

No known significant effects or critical hazards.

**Section 13. Disposal considerations**

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be

## SAFETY DATA SHEET

***GlideTech Additive***

Version Number 1.0

Revision Date 12/05/2025

Page 12 of 16

Print Date 12/06/2025

disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Section 14. Transport information**

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
IATA	: Consult mode specific transport rules
IMDG	: Consult mode specific transport rules

**Section 15. Regulatory information****U.S. Federal regulations**

**TSCA 8(a) CDR Exempt/Partial exemption:** All components are listed or exempted.

**TSCA 12(b) - Chemical export notification**

Clean Air Act Section 112(b)	: Not listed
Hazardous Air Pollutants (HAPs)	
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed

**SARA 302/304****Composition/information on ingredients**

## SAFETY DATA SHEET

**GlideTech Additive**

Version Number 1.0  
Revision Date 12/05/2025

Page 13 of 16  
Print Date 12/06/2025

No products were found.

**SARA 304 RQ** : Not applicable.

**SARA 311/312**

**Classification** : COMBUSTIBLE DUSTS

**Composition/information on ingredients****State regulations**

**Massachusetts** : None of the components are listed.  
**New York** : None of the components are listed.  
**New Jersey** : None of the components are listed.  
**Pennsylvania** : None of the components are listed.

**California Prop. 65**

This product does not require a Safe Harbor warning under California Prop. 65.

**International regulations****Chemical Weapon Convention List Schedules I, II & III Chemicals****Chemical Weapons Convention List Schedule I Chemicals**

None of the components are listed.

**Chemical Weapons Convention List Schedule II Chemicals**

None of the components are listed.

**Chemical Weapons Convention List Schedule III Chemicals**

None of the components are listed.

**Montreal Protocol**

None of the components are listed.

**Stockholm Convention on Persistent Organic Pollutants****Annex A - Elimination - Production**

## SAFETY DATA SHEET

**GlideTech Additive**

Version Number 1.0  
Revision Date 12/05/2025

Page 14 of 16  
Print Date 12/06/2025

None of the components are listed.

**Annex A - Elimination - Use**

None of the components are listed.

**Annex B - Restriction - Production**

None of the components are listed.

**Annex B - Restriction - Use**

None of the components are listed.

**Annex C - Unintentional - Production**

None of the components are listed.

**Rotterdam Convention on Prior Informed Consent (PIC)****Rotterdam Convention on Prior Informed Consent (PIC) - Industrial**

None of the components are listed.

**Rotterdam Convention on Prior Informed Consent (PIC) - Pesticide**

None of the components are listed.

**Rotterdam Convention on Prior Informed Consent (PIC) - Severely hazardous pesticide**

None of the components are listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals****Heavy metals - Annex 1**

None of the components are listed.

**POPs - Annex 1 - Production**

None of the components are listed.

**POPs - Annex 1 - Use**

None of the components are listed.

**POPs - Annex 2**

None of the components are listed.

**POPs - Annex 3**

None of the components are listed.

**Inventory list**

**Australia** : All components are listed or exempted.

## SAFETY DATA SHEET

***GlideTech Additive***

Version Number 1.0

Page 15 of 16

Revision Date 12/05/2025

Print Date 12/06/2025


Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	<b>Russian Federation inventory:</b> All components are listed or exempted.
Japan	:	<b>Japan inventory (CSCL):</b> All components are listed or exempted. <b>Japan inventory (ISHL):</b> Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Thailand	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	All components are listed or exempted.

**Section 16. Other information**Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		3
Physical hazards		0

**Caution:** HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)Procedure used to derive the classification

## SAFETY DATA SHEET

***GlideTech Additive***

Version Number 1.0

Page 16 of 16

Revision Date 12/05/2025

Print Date 12/06/2025

Classification	Justification
COMBUSTIBLE DUSTS	On basis of test data

**History**

<b>Date of printing</b>	:	12/06/2025
<b>Date of issue/Date of revision</b>	:	12/05/2025
<b>Date of previous issue</b>	:	00/00/0000
<b>Version</b>	:	1.0
<b>Prepared by</b>	:	EHS_BATCH
<b>Key to abbreviations</b>	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor DOT = Department of Transportation GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods IMO = International Maritime Organization LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group TDG = Transportation of Dangerous Goods UN = United Nations
<b>References</b>	:	Not available.

**Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.